



 DLC on Some  
Linear Models

Date: \_\_\_\_\_ Fixture: \_\_\_\_\_

QTY: \_\_\_\_\_ Project: \_\_\_\_\_



## Thinline 4.5

### Suspended Direct

### Cast End Caps with Light Block

### Multiple Lens and Customizations Available

Architectural luminaire. Pendant mounting. Slim contemporary design. Aluminum extruded body. Continuous runs with lit corners available. L90 > 70K Hours. Designed and manufactured in North America. 10 Year Warranty.

### Performance

Color Temp	Lm/W
4000K	120 Lm/W
3500K	116 Lm/W
3000K	112 Lm/W

### Ordering Options

MODEL	CONTINUOUS RUN	DIR LUMENS	CRI	COLOR TEMP	VOLTAGE	LENS	FINISH
DTL SD 4.5	CR _____ - Min 2' - Available in 6" increments - Unibody, up to 8'	D 250	80	27K 2700K	U 120/277V	FR Frosted	GRY Grey
		D 500	90	3K 3000K	H 347V	FRREG Frosted Regressed	WH White
		D 750		35K 3500K		ASY Asymmetric	BLK Black
		D 1000		4K 4000K		.5" FR DROP	CU Custom
		D _____		5K 5000K		2" FR DROP	
		Custom Up to 1200		BIOS			

DTL SD 4.5							
------------	--	--	--	--	--	--	--

MOUNTING	DRIVER	CONTROLS	CIRCUITS	ACCESSORIES
<b>AC</b> Aircraft Cable 10' Std <b>TR</b> Threaded Rod _____ <b>TB9</b> T Bar 9/16 <b>TB15</b> T Bar 15/16	<b>DIMOFF</b> 0-10 1% DIMOFF Driver <b>LUTRON</b> Lutron Ecosystem Driver <b>SR</b> Philips SR <b>DALI</b> <b>ELDO</b> .1% ELDO LED Driver * 347 only in 1 - 10 5%	<b>N</b> None <b>DMX</b> <b>SNS</b> Philips SNS 300 w/ BLD & Daylight <b>CLM</b> Encelium CLM <b>LG</b> LG Dongle <b>BT</b> Bluetooth Mesh <b>EN</b> Enlighted Integral	<b>1</b> One circuit <b>2</b> Two circuits	<b>N</b> None <b>10kV</b> 10kV Surge Protection <b>EMBAT</b> 6W 90 Min BAT

--	--	--	--	--

WIRING	WIRE COLOR	WIRE LENGTH	DOWNLIGHT
<b>5 WIRE</b> <b>6 WIRE (NL)</b> <b>+GTD</b> Generator Transfer Device <b>N</b> None	<b>G</b> Grey <b>W</b> White <b>B</b> Black <b>C</b> Clear	_____'	<b>DL#</b> _____ <b>POS</b> _____ <b>POS</b> END MID BEG MULTIPLE

--	--	--	--

**SAMPLE:** DTL SD 4.5 - CR8 - D500 - 80 - 4K - U - FR - WH - S - DIMOFF - N - 1 - N - 5WIRE - W - 6' - 0

Available with BIOS® (please consult factory)  
Specifications subject to change without notice.

Note: Not all products are qualified on the DLC QPL. To view our DLC qualified products, please consult the DLC qualified products list at [www.designlights.org/qpl](http://www.designlights.org/qpl).

**10YR**  
WARRANTY

## LED

L90 > 70,000

Samsung 301 3 McAdam Binning

4000K 120 Lm/W

3500K 98%

3000K 96%

90 CRI 85%

## Optics




Flat



0.25" Regressed



Asymmetric




0.5" Drop Lens




2" Drop Lens

## Downlight



Start




Multiple

**Beam** 60°

**Lumens** 50

**Watts** 4


## Lens Options




## Mounting

### T BAR

Jbox (Others)



Aircraft Cable  
ACY




4.5"  
Power Feed




2"  
Non Power Feed

**DRYWALL**



**Junction Box (Others)**




**Anchor (Others)**


*Aircraft Cable Coupler Supplied*

1/4" - 20 Thread Required (1)

**STEM**




**Stem**




**Stem**

**Measurements**



3.18"

4"




**2': 24.2", 3': 36.2", 4': 48.2", 5': 60.2", 6': 72.2", 7': 84.2", 8': 96.2"**

Actual Length = NOMINAL +.2"

## Lit Corner Hubs



Lit Corner 90°



Lit Corner 135°



T-Hub



Y-Hub




X-Hub


**\*\* Custom Available \*\***

## Lit Corner Hubs - Shapes


### Sample Configurations




Lit Corner Hub 90°



Lit Corner Hub 90°




Lit Corner Hub 90° & Lit Corner Hub 135°




*Lit Corner Hub 90°*




*Lit Corner Hub 90°*




*Lit Corner Hub 135°*



*Lit Corner T-Hub*




*Lit Corner X-Hub*




*Lit Corner Y-Hub*

## Finishes


### Standard Finishes



**Delviro Grey**  
RAL 7046  
Sandtex




**Delviro White**  
RAL 9003  
Sandtex




**Delviro Black**  
RAL 9004  
Sandtex


### Custom Finishes




**Delviro Orange**  
RAL 2009  
Sandtex



**Delviro Blue**  
RAL 5012  
Sandtex



**Delviro Yellow**  
RAL 1037  
Sandtex



**Delviro Green**  
RAL 6010  
Sandtex

*Additional Finishes Available - Please consult factory*